

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 2
August 2, 2016

PROJECT: Drainage Cleaning and Video Inspection Multiple Sites
Project No. 20160203

BID DUE DATE: August 19, 2016; 02:00 P.M.

FROM: Miami-Dade County DTPW
Capital Improvements Section
111 NW First Street, 14th Floor
Miami, FL 33128
305.375.2930

TO: Prospective Bidders and Interested Parties

This Addendum forms part of the project solicitation documents and will be incorporated into the Contract Documents, as applicable. Insofar as the Original Contract Documents, Drawings and Specifications are inconsistent, this Addendum shall govern. Please acknowledge receipt of this Addendum, at the time of bid submittal to Miami-Dade County, in the space provided on the "Acknowledgement of Addenda Form" provided with the project solicitation documents. Failure to acknowledge receipt of all addenda may be cause for disqualification.

CHANGES TO PROCUREMENT REQUIREMENTS:

1. Delete bid form, dated 07/13/2016, and replace it with the attached revised bid form, dated 8/2/2016.
2. Change to the Invitation to Bid: Change estimated value from \$182,280.00 to \$228,848.00

CHANGES TO SPECIAL PROVISIONS:

3. Add the following Article :
 - 2.04 UNDERWATER INSPECTION OF EXISTING PIPES (FOR PIPES LARGER THAN 48" IN DIAMETER)
 - A. Description:
 1. Underwater visual inspection for this article is to be used on pipes larger than 48" in diameter using a diver under all conditions of flow and visibility.
 - B. Requirements:
 1. Inspect pipe and take sediment depth measurements every 100 feet.
 2. Inspect all pipe joint for separation and signs of failure.

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 2
August 2, 2016

3. Note any separations larger than 2 inches in height along the horizontal plane
4. Note any separation large than 2 inches along the pipe joints
5. Note any cave in/material entering through separations
6. Note any large obstruction in pipes
7. Note any obvious deficiencies in the pipe which could impact flow or structural integrity

C. Submittal:

1. Submit sediment report on an aerial map showing locations where sediment depths were obtained and location of any observed separations. Additionally, report any other deficiencies discovered during inspection.

D. Measure and payment

1. Payment includes all labor, material and equipment and report preparation for all work specified under this article and measured in linear foot (LF) of any pipe larger than 48" in diameter.
2. Payment to be made under pay item 110-8-1, Underwater, Inspection of Existing Pipe. (LF)

END OF ADDENDUM NO. 2



Alejandro Martinez-Esteve, RA, LEED AP
Department of Transportation and Public Works (DTPW)
Manager, Capital Improvements

AM:er

c:

Elva Reyes, DTPW

Alex Barrios, DTPW

Ivette Newland, DTPW

Alfredo Munoz, P.E., DTPW

Marcia Martin, ISD

Clerk of the Board

Project File

Revised Bid Form for Addendum No.2

Bid Form**PROJECT TITLE:** Drainage Cleaning and Video Inspection Multiple Sites**PROJECT NO:** 20160203

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVENTY (70) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

Item No	Quantity	Unit	Description	Written Unit Amount	Unit Price	Total
102-74-1	3,600.0	EA/DAY	BARRICADES (TEMPORARY- TYPE I, II, VP & DRUM).			
110-8-1	5,922.0	L.F.	UNDERWATER INSPECTION OF EXISTING PIPE			
Pay Item 110-8-1 is for all works related to the underwater visual inspection for pipes larger than 48" in diameter.						
430-4-8	3,435.0	L.F.	Pipe Video Inspection and Report			
430-94-1-1	3,435.0	L.F.	DESILT PIPE (0 TO 48")			
430-95-2	102.0	EA	Desilting Drainage Structure			

Total: _____

The bidder understands and agrees that the above total is inclusive of all work necessary to complete the job as described in the plans and specifications.

Quantities are established and are included only for the purpose of facilitating the uniform comparison of bids submitted. The County shall not be held responsible if the quantities are not accurate and all computations for compensation shall be based upon the actual work performed, whether greater or less than estimated quantities.

Tax Identification Number: _____

D.C. Certificate of competency No: _____

Bidder's Name: _____

Bidder's telephone Number: _____

Bidder's address: _____

Revised Bid Form for Addendum No.2

Bid Form

PROJECT TITLE: Drainage Cleaning and Video Inspection Multiple Sites

PROJECT NO: 20160203

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVENTY (70) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE *NOTICE TO PROCEED WITH CONTRACT WORK*.

BIDDER ACKNOWLEDGES THAT INCLUDED IN THE VARIOUS ITEMS OF THE PROPOSAL AND IN THE TOTAL BID PRICE ARE COSTS FOR COMPLYING WITH THE FLORIDA TRENCH SAFETY ACT (90-96), LAWS OF FLA. EFFECTIVE OCTOBER 1st, 1990. THE BIDDER FURTHER IDENTIFIES THE COSTS TO BE SUMMARIZED BELOW:

	Trench Safety Measure (Description)	Units of Measure (LF, SY)	Unit (Quantity)	Unit Cost	Extended Cost
A.					
B.					
C.					
D.					

FAILURE TO COMPLETE THE ABOVE MAY RESULT IN THE BID BEING DECLARED NON-RESPONSIVE